

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("20020120617").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/02/21 09:33
L2	1	1 AND DYNAMIC	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:40
L3	0	1 AND PARAMETER\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:39
L4	1	1 AND SORTED	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:42
L5	0	1 AND SSERVER	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:42
L6	0	1 AND SERVER	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:42
L7	0	1 AND CLIENT/SERVER	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:45
L8	2	("20050251525").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/02/21 09:45

EAST Search History

L9	1	8 AND PARAMETER\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:46
L10	0	9 AND SUBCATEGORIES	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:46
L11	0	9 AND SUB-CATEGORIES	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:46
L12	2	("6941310").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/02/21 09:46
L13	2	12 AND CACHE\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:52
L14	0	13 AND CAHCHE	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:47
L15	1031	SEGMENT\$5 NEAR CACHE\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:52
L16	923	15 AND @AD<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 10:23

EAST Search History

L17	383	16 AND INDEX	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:53
L18	208	17 AND VIEW	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:53
L19	88	18 AND COLUMN\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 10:22
L20	52	"SEGMENTED CACHE"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 10:23
L21	43	20 AND @AD<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 10:56
L22	2	("6230200").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/02/21 10:53
L23	0	("DYNAMICNEAR2INDEXNEAR5PARAMETERS").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/02/21 10:55
L24	0	DYNAMIC NEAR2 NDEX NEAR5 PARAMETERS	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 10:55

EAST Search History

L25	7	DYNAMIC NEAR2 INDEX NEAR5 PARAMETERS	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 10:56
L26	6	25 AND @AD<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 11:00
L27	42	DYNAMIC NEAR2 INDEX SAME PARAMETERS	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 10:56
L28	30	27 AND @AD<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 11:13
L29	19	SUBCATEGORY NEAR INDEX\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 11:00
L30	12	29 AND @AD<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 11:05
L31	1	SUB NEAR CATEGORY NEAR5 SORT\$3 NEAR3 COLUMN	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 11:13
L32	3557	DATABASE NEAR2 VIEW	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 11:13

EAST Search History

L33	2866	32 AND @AD<"20030820"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 11:14
L34	113	33 AND SORT\$4 NEAR2 COLUMNS	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 11:14
L35	74	34 AND CATEGOR\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 11:17
L36	67	35 AND QUERY	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 11:17



US 20020152189A1

(19) **United States**(12) **Patent Application Publication** (10) Pub. No.: **US 2002/0152189 A1**
CRIM (43) Pub. Date: **Oct. 17, 2002**(54) **PROCESS AND SYSTEM FOR PROVIDING A
TABLE VIEW OF A FORM LAYOUT FOR A
DATABASE**

(52) U.S. Cl. 707/1

(76) Inventor: **CHRISTOPHER L. CRIM, SAN
JOSE, CA (US)**(57) **ABSTRACT**

Correspondence Address:
**BEYER WEAVER & THOMAS LLP
P.O. BOX 778
BERKELEY, CA 94704-0778 (US)**

The present invention provides methods and apparatus for displaying data associated with a plurality of records in a database, including obtaining a first layout including a body defining a plurality of fields having a specified order and associated attributes, each of the associated attributes having a corresponding attribute value. A second layout is created from the first layout such that the second layout includes selected ones of the plurality of fields, the second layout being adapted for displaying a plurality of records such that values associated with the same field of the plurality of records are displayed adjacent to one another. Attribute values corresponding to at least some of the attributes associated with the plurality of fields are then copied from the first layout to the second layout. The second layout is then displayed.

(*) Notice: This is a publication of a continued prosecution application (CPA) filed under 37 CFR 1.53(d).

(21) Appl. No.: **09/378,599**(22) Filed: **Aug. 20, 1999****Publication Classification**(51) Int. Cl.⁷ **G06F 7/00**

	Last	First	Events	Total Prize Money
106 ~				
108 ~				
110 ~				
				~103 1/2